## **CERTIFICATE OF ANALYSIS**



Biominerales Pharma Customer: 3790 SW 30th Ave Fort Lauderdale, FL 33312

Batch #:-Laboratory Number:<sub>ATL-22330</sub> Report Issue Date: 7/15/2024

Order Date: 7/2/2024

Analysis Date: 7/8/2024

Sample D escription:

THCA Pre Roll Classic

Unit Weight: 2g / Pre Roll



Extraction Technician: LL Analytical Chemist: LL

Kim Dang
Laboratory Manager

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%	1	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	1.620	0.081
CBD-A	<0.008	221.780	11.08	K,	CBN	<0.011	N/D	N/D
CBG-A	<0.008	11.620	0.581	4	D9-THC	<0.014	5.160	0.258
CBG	<0.007	1.100	0.055	K	D8-THC	<0.005	N/D	N/D
CBD	<0.008	8.640	0.432		9S-D10-THC	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	0.960	0.048
CBC-A	<0.005	11.100	0.555
THC-A	<0.005	318.820	15.94

Max Active THC	mg/ 284.77	% 14.24
Max Active CBD	mg/preroll 203.14	% 10.16

Total Active	mg/preroll	%	
Cannabinoids	511.31	25.57	
Total	mg/	%	
Cannabinoids	580.80	29.04	

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acld(THCA)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

