CERTIFICATE OF ANALYSIS



Biominerales Pharma Customer: 3790 SW 30th Ave Fort Lauderdale, FL 33312

Batch #:-

Laboratory Number:_{ATL-22332}

Report Issue Date: 7/15/2024

Order Date: 7/2/2024

Analysis Date: 7/8/2024

Extraction Technician: LL Analytical Chemist: LL

Kim Dang
Laboratory Manager

Sample D escription:

THCA Pre Roll Yo Birthday

Unit Weight: 2g / Pre Roll



CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	1.560	0.078
CBD-A	<0.008	223.060	11.15		CBN	<0.011	N/D	N/D
CBG-A	<0.008	11.280	0.564	1	D9-THC	<0.014	5.340	0.267
CBG	<0.007	1.140	0.057	K	D8-THC	<0.005	N/D	N/D
CBD	<0.008	9.080	0.454		9S-D10-THC	<0.005	N/D	N/D
тнсч	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D
1/-	4	1//	Ζ,	7	11			1

	Analyte	LOQ (mg/g)	Results mg/preroll	%
1	СВС	<0.009	1.040	0.052
	CBC-A	<0.005	11.280	0.564
	THC-A	<0.005	322.160	16.10

Max Active THC	mg/ 287.87	% 14.39
Max Active CBD	mg/preroll 204.70	% 10.24

Total Active	mg/preroll	%
Cannabinoids	515.91	25.80
Total	mg/	%
Cannabinoids	585.94	29.30

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acld(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Describt LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

